




Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
S8M-1384	1384	450	173
S8M-1392	1392	450	174
S8M-1400	1400	450	175
S8M-1432	1432	450	179
S8M-1440	1440	450	180
S8M-1512	1512	450	189
S8M-1528	1528	450	191
S8M-1536	1536	450	192
S8M-1544	1544	450	193
S8M-1600	1600	450	200
S8M-1624	1624	450	203
S8M-1648	1648	450	206
S8M-1672	1672	450	209
S8M-1680	1680	450	210
S8M-1696	1696	450	212
S8M-1728	1728	200	216
S8M-1760	1760	200	220
S8M-1800	1800	450	225
S8M-1912	1912	450	239
S8M-2000	2000	450	250
S8M-2024	2024	450	253
S8M-2032	2032	450	254
S8M-2120	2120	440	256
S8M-2240	2240	190	280
S8M-2304	2304	450	288
S8M-2400	2400	450	300
S8M-2432	2432	450	304
S8M-2496	2496	190	312
S8M-2536	2536	180	317
S8M-2560	2560	250	320
S8M-2600	2600	450	325
S8M-2800	2800	450	350
S8M-3000	3000	440	375
S8M-3200	3200	450	400
S8M-3720	3720	250	465
S8M-4000	4000	450	500
S8M-4680	4680	450	585
S8M-6640	6640	250	830
S8M-1624	1624	450	203
S8M-1648	1648	450	206
S8M-1672	1672	450	209
S8M-1680	1680	450	210
S8M-1696	1696	450	212

Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
38M-	1728	200	216
38M-	1760	200	220
38M-	1800	450	225
38M-	1912	450	239
38M-	2000	450	250
38M-	2024	450	253
38M-	2032	450	254
38M-	2120	440	256
38M-	2240	190	280
38M-	2304	450	288
38M-	2400	450	300
38M-	2432	450	304
38M-	2496	190	312
38M-	2536	180	317
38M-	2560	250	320
38M-	2600	450	325
38M-	2800	450	350
38M-	3000	440	375
38M-	3200	450	400
38M-	3720	250	465
38M-	4000	450	500
38M-	4680	450	585
38M-	6640	250	830

آدرس: تهران - فیابان امیرکبیر - فیابان ناظم اطبا منوبی - کوچه کتانه - کوچه منصورالمکما - پاساژ مهدی - ط ۳ - واعد ۲۸

تلفن: ۰۲۱۳۳۹۵۴۳۵۷ - ۰۹۱۲۶۴۵۵۶۴۶ - ۰۹۱۲۴۹۸۷۷۸۰ مومدی کیا


Dimension of Synchronous Belt STPD/STS-S8M



Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
S8M-376	376	450	47
S8M-384	384	450	48
S8M-392	392	450	49
S8M-440	440	450	55
S8M-480	480	450	60
S8M-496	496	450	62
S8M-512	512	450	64
S8M-520	520	450	65
S8M-528	528	450	66
S8M-560	560	450	70
S8M-584	584	450	73
S8M-600	600	450	75
S8M-632	632	450	79
S8M-640	640	450	80
S8M-656	656	450	82
S8M-680	680	450	85
S8M-688	688	450	86
S8M-712	712	450	89
S8M-720	720	450	90
S8M-760	760	450	95
S8M-768	768	450	96
S8M-784	784	450	98
S8M-800	800	450	100
S8M-824	824	450	103
S8M-840	840	450	105
S8M-848	848	200	106
S8M-864	864	450	108
S8M-880	880	450	110

Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
S8M-976	976	450	122
S8M-984	984	450	123
S8M-1000	1000	450	125
S8M-1032	1032	450	129
S8M-1040	1040	200	130
S8M-1056	1056	450	132
S8M-1064	1064	450	133
S8M-1080	1080	450	135
S8M-1096	1096	450	137
S8M-1104	1104	450	138
S8M-1120	1120	450	140
S8M-1152	1152	450	144
S8M-1136	1136	450	142
S8M-1160	1160	200	145
S8M-1168	1168	450	146
S8M-1184	1184	450	148
S8M-1192	1192	450	149
S8M-1200	1200	450	150
S8M-1208	1208	450	151
S8M-1216	1216	450	152
S8M-1224	1224	450	153
S8M-1240	1240	450	155
S8M-1248	1248	450	156
S8M-1256	1256	450	157
S8M-1264	1264	450	158
S8M-1280	1280	200	160
S8M-1296	1296	450	162
S8M-1304	1304	450	163

Dimension of Synchronous Belt STPD/STS-S5M




Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
S5M-150	150.00	160	30
S5M-200	200.00	200	40
S5M-255	255.00	200	51
S5M-285	285.00	450	57
S5M-295	295.00	200	59
S5M-320	320.00	450	64
S5M-325	325.00	200	65
S5M-345	345.00	450	69
S5M-350	350.00	450	70
S5M-375	375.00	450	75
S5M-390	390.00	450	78
S5M-400	400.00	450	80
S5M-410	410.00	450	82
S5M-425	425.00	450	85
S5M-435	435.00	450	87
S5M-450	450.00	450	90
S5M-475	475.00	450	95
S5M-490	490.00	450	98
S5M-500	500.00	450	100
S5M-520	520.00	450	104
S5M-525	525.00	450	105
S5M-560	560.00	450	112
S5M-575	575.00	450	115
S5M-600	600.00		120
S5M-625	625.00	450	125
S5M-650	650.00	450	130
S5M-665	665.00	450	133
S5M-670	670.00	450	134
S5M-675	675.00		135

Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
S5M-800	800.00	450	160
S5M-810	810.00	450	162
S5M-825	825.00	450	165
S5M-830	830.00	450	166
S5M-850	850.00	450	170
S5M-900	900.00	450	180
S5M-935	935.00	450	187
S5M-950	950.00	450	190
S5M-975	975.00	450	195
S5M-1000	1000.00	450	200
S5M-1050	1050.00	450	210
S5M-1125	1125.00		225
S5M-1225	1225.00	450	245
S5M-1270	1270.00	450	254
S5M-1350	1350.00		270
S5M-1420	1420.00		284
S5M-1800	1800.00	250	360
S5M-2000	2000.00	450	400
S5M-2350	2350.00	450	470
S5M-4000	4000.00	450	800

آدرس: تهران - فیابان امیرکبیر - فیابان ناظم اطبا جنوبی - کوچه کتانه - کوچه منصورالمکما - پاساژ مهدی - ط ۳ - واهد ۲۸

تلفن: ۰۲۱۳۳۹۵۱۴۳۵۷ - ۰۹۱۲۶۴۵۵۶۴۶ - ۰۹۱۲۴۹۸۷۷۸۰ ممدی کیا

Dimension of synchronous belt STPD/STS-S4.5



Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
S4.5M-162	162.00		36
S4.5M-180	180.00	100	40
S4.5M-198	198.00		44
S4.5M-203	203.00		45
S4.5M-225	225.00		50
S4.5M-239	239.00	200	53
S4.5M-252	252.00	200	56
S4.5M-275	275.00	200	61
S4.5M-279	279.00	200	62
S4.5M-284	284.00	200	63
S4.5M-297	297.00	200	66
S4.5M-315	315.00	120	70
S4.5M-329	329.00		73
S4.5M-333	333.00	450	74
S4.5M-338	338.00	200	75
S4.5M-342	342.00	450	76
S4.5M-347	347.00		77
S4.5M-351	351.00	450	78
S4.5M-360	360.00	160	80
S4.5M-369	369.00	450	82
S4.5M-382	382.00	450	84
S4.5M-387	387.00		86
S4.5M-396	396.00	450	88
S4.5M-414	414.00	450	92
S4.5M-437	437.00	100	97
S4.5M-441	441.00		98
S4.5M-450	450.00	450	100
S4.5M-468	468.00		104
S4.5M-486	486.00	450	108

Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
S4.5M-567	567.00		126
S4.5M-612	612.00		136
S4.5M-617	617.00		137
S4.5M-630	630.00		140
S4.5M-653	653.00	450	145
S4.5M-675	675.00		150
S4.5M-711	711.00	450	158
S4.5M-801	801.00		178
S4.5M-864	864.00	450	192
S4.5M-905	905.00	450	201
S4.5M-1031	1031.00		229




آدرس: تهران - خیابان امیرکبیر - خیابان ناظم اطبای جنوبی - کوچه کتانه - کوچه منصورالمکما - پاساژ مهدی - پ ۳ - وامن ۲۸

تلفن: ۰۲۱۳۳۹۵۴۳۵۷ - ۰۹۱۲۶۴۵۵۶۴۶ - ۰۹۱۲۴۹۸۷۷۸۰ مومدی کیا

Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
S3M-600	600.00		200
S3M-606	606.00	450	202
S3M-621	621.00	450	207
S3M-633	633.00	200	211
S3M-636	636.00	200	212
S3M-651	651.00	450	217
S3M-657	657.00	450	219
S3M-660	660.00	200	220
S3M-666	666.00	450	222
S3M-681	681.00		227
S3M-690	690.00	450	230
S3M-699	699.00	450	233
S3M-714	714.00	200	238
S3M-750	750.00	450	240
S3M-765	765.00		255
S3M-789	789.00		263
S3M-804	804.00		268
S3M-810	810.00		270
S3M-894	894.00	450	298
S3M-900	900.00		300
S3M-1005	1005.00		335
S3M-1050	1050.00	450	350
S3M-1125	1125.00	450	375
S3M-1260	1260.00		420
S3M-1422	1422.00	450	474
S3M-1596	1596.00	450	532
S3M-1800	1800.00		600
S3M-4395	4395.00	450	1465
S3M-4704	4704.00	450	1568
S3M-6510	6510.00	450	2170
S3M-666	666.00	450	222
S3M-681	681.00		227
S3M-690	690.00	450	230
S3M-699	699.00	450	233
S3M-714	714.00	200	238
S3M-750	750.00	450	240
S3M-765	765.00		255
S3M-789	789.00		263
S3M-804	804.00		268

Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
S3M-1050	1050.00	450	350
S3M-1125	1125.00	450	375
S3M-1260	1260.00		420
S3M-1422	1422.00	450	474
S3M-1596	1596.00	450	532
S3M-1800	1800.00		600
S3M-4395	4395.00	450	1465
S3M-4704	4704.00	450	1568
S3M-6510	6510.00	450	2170

Dimension of Synchronous Belt STPD/STS-S3M




Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
S3M-120	120.00	100	40
S3M-129	129.00	160	43
S3M-144	144.00	160	48
S3M-150	150.00	160	50
S3M-156	156.00	200	52
S3M-162	162.00	200	54
S3M-165	165.00	160	55
S3M-171	171.00	200	57
S3M-174	174.00	150	58
S3M-177	177.00	200	59
S3M-180	180.00	200	60
S3M-186	186.00	200	62
S3M-189	189.00	200	63
S3M-192	192.00	200	64
S3M-201	201.00	200	67
S3M-204	204.00	200	68
S3M-207	207.00	200	69
S3M-210	210.00	200	70
S3M-213	213.00	200	71
S3M-219	219.00	200	73
S3M-222	222.00	200	74
S3M-225	225.00	200	75
S3M-231	231.00	200	77
S3M-234	234.00	200	78
S3M-237	237.00	450	79
S3M-240	240.00	200	80
S3M-246	246.00	450	82
S3M-249	249.00	200	83
S3M-252	252.00	450	84

Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
S3M-291	291.00	450	97
S3M-294	294.00	450	98
S3M-297	297.00	450	99
S3M-300	300.00	450	100
S3M-312	312.00	450	104
S3M-318	318.00	450	106
S3M-321	321.00	450	107
S3M-327	327.00	450	109
S3M-333	333.00	450	111
S3M-339	339.00	200	113
S3M-345	345.00	450	115
S3M-351	351.00	450	117
S3M-357	357.00	450	119
S3M-360	360.00	450	120
S3M-363	363.00	450	121
S3M-369	369.00	450	123
S3M-384	384.00	450	128
S3M-405	405.00	450	135
S3M-408	408.00	160	136
S3M-420	420.00	450	140
S3M-432	462.00	450	144
S3M-447	447.00	200	149
S3M-453	453.00	450	151
S3M-459	459.00		153
S3M-468	468.00	450	156
S3M-486	486.00	450	162
S3M-501	501.00	450	167
S3M-504	504.00	450	168
S3M-507	507.00	450	169

Dimension of Synchronous Belt


STPD/STS-S2M



Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
S2M-60	60.00	60	30
S2M-80	80.00	160	40
S2M-96	96.00	100	48
S2M-110	110.00	100	55
S2M-120	120.00	160	60
S2M-128	128.00	160	64
S2M-130	130.00	200	65
S2M-132	132.00	160	66
S2M-134	134.00	200	67
S2M-138	138.00	160	69
S2M-146	146.00	160	73
S2M-152	152.00	200	76
S2M-158	158.00		79
S2M-160	160.00	200	80
S2M-168	168.00	200	84
S2M-180	180.00	200	90
S2M-182	182.00	160	91
S2M-184	184.00	200	92
S2M-186	186.00	200	93
S2M-192	192.00	200	96
S2M-194	194.00	160	97
S2M-200	200.00	200	100
S2M-202	202.00	200	101
S2M-204	204.00	200	102
S2M-224	224.00	200	112
S2M-234	234.00	200	117
S2M-236	236.00	200	118
S2M-240	240.00	200	120
S2M-250	250.00	200	125

Dimension of Synchronous Belt

STPD/STS-S14M



Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
S14M-	714.00	440	51
S14M-	1008.00	440	72
S14M-	1036.00	440	74
S14M-	1120.00	440	80
S14M-	1190.00	440	85
S14M-	1246.00	440	89
S14M-	1400.00	440	100
S14M-	1540.00	440	110
S14M-	1610.00	440	115
S14M-	1624.00	440	116
S14M-	1652.00	440	118
S14M-	1750.00	440	125
S14M-	1806.00	440	129
S14M-	1890.00	440	135
S14M-	1904.00		136
S14M-	1960.00	240	140
S14M-	2002.00	440	143
S14M-	2100.00	440	150
S14M-	2198.00	440	157
S14M-	2240.00	440	160
S14M-	2310.00		165
S14M-	2380.00	440	170
S14M-	2450.00	440	175
S14M-	2506.00		179
S14M-	2590.00	440	185
S14M-	2660.00	440	190
S14M-	2800.00	440	200
S14M-	2814.00	440	201